AUTHOR INDEX

Albats, P. *see* Sood, R.K.
Albinson, J.S. *see* Evans, A.
Allen, D.A. *see* Morgan, D.H.
Allen, D.A. *see* Norris, R.P.
Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J. Further redshifts of 1-Jy radio sources, **234**, 1091
Appleton, P.N., van der Hulst, J.M. The structure and kinematics of the intergalactic south-west cloud in the M81 group, **234**, 957
Ashman, K.M., Carr, B.J. Pre-galactic cooling flows and baryonic dark matter, **234**, 219
Axon, D.J. *see* Bailey, J.
Axon, D.J. *see* Unger, S.W.

Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R. The polarization of NGC 1068, **234**, 899
Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M. EXO 023432−5232.3 – An eclipsing AM Herculis binary, **234**, 19P
Baldwin, J.E. *see* Hales, S.E.G.
Balona, L.A. *see* van Vuren, G.W.
Balona, L.A. *see* Whitelock, P.A.
Barlow, M.J. *see* Monk, D.J.
Barnett, E.W., McKeith, C.D. Fine structure splitting of the $2s^2\,2p^3\,{}^2P$ and ${}^2D$ levels of O II from CCD/echelle observations of the planetary nebula IC 418, **234**, 241
Barnett, E.W., McKeith, C.D. Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines, **234**, 325
Barrett, P. Multicolour 'Stokes' polarimetry of SN 1987A in the LMC, **234**, 937
Bazzano, A. *see* Sood, R.K.
Bedford, D.K., Vilhu, O., Petrov, P. Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691, **234**, 319
Bertola, F., Galletta, G., Kotanyi, C., Zeilinger, W.W. A study of major-axis dust-lane ellipticals, **234**, 733
Bessell, M.S. *see* Hawkins, M.R.S.
Blades, J.C. *see* Monk, A.S.
Blandford, R.D., Romani, R.W. On the interpretation of pulsar braking indices, **234**, 57P
Bodo, G. *see* Trussoni, E.
Boisson, C. *see* Sansom, A.E.
Bower, R.G., Ellis, R.S., Efstathiou, G. A study of satellite galaxies in the rich cluster A2029, **234**, 725
Božić, H. *see* Stagg, C.R.
Brissenden, R.J.V. *see* D'Amico, N.
Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L. *IRAS* observations and IR excesses of RS CVn-type binaries, **234**, 445

Caldwell, S.P., Dickens, R.J. Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55, **234**, 87
Callus, C.M. *see* Evans, A.
Capaccioli, M., Vietri, M., Held, E.V. The *z*-structure of the disc of NGC 3115, **234**, 335
Carr, B.J. *see* Ashman, K.M.
Carter, B. *see* Evans, A.
Carter, B.S. *see* Whitelock, P.A.
Casertano, S. *see* Sparke, L.S.
Catchpole, R.M. *see* Whitelock, P.A.
Clayton, D.D. Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood, **234**, 1
Clegg, R.E.S. *see* Monk, D.J.
Coles, P. Statistical geometry and the microwave background, **234**, 509
Collins II, G.W. Thomson scattering in the presence of a weak magnetic field, **234**, 417
Corbet, R.H.D. *see* Mukai, K.
Cropper, M. *see* Bailey, J.

Dachs, J. *see* Hanuschik, R.W.
D'Amico, N., Manchester, R.N., Durdin, J.M., Stokes, G.H., Stinebring, D.R., Taylor, J.H., Brissenden, R.J.V. A survey for millisecond pulsars at Molonglo, **234**, 437
Dhurandhar, S.V., Tinto, M. Astronomical observations with a network of detectors of gravitational waves – I. Mathematical framework and solution of the five detector problem, **234**, 663
Diamond, P.J. *see* Kemball, A.J.
Dickens, R.J. *see* Caldwell, S.P.
Djorgovski, S. *see* Allington-Smith, J.R.
Dluzhnevskaya, O.B. *see* Sagar, R.
Drew, J.E., Verbunt, F. Regular orbital variations in the ultraviolet resonance lines of YZ Cnc, **234**, 341
Duffy, A.G., Hawkes, R.L., Jones, J. Television observations of the 1984 Orionid shower, **234**, 643
Duley, W.W. Amorphous carbon and interstellar emission excesses, **234**, 61P
Dunlop, C.N., Major, J.V. A shear interferometer for the measurement of atmospheric seeing, **234**, 993
Durdin, J.M. *see* D'Amico, N.
Dyson, J.E. *see* Smith, L.J.
Dyson, J.E. *see* Unger, S.W.

Edmunds, M.G., Taylor, K., Turtle, A.J. Kinematic mapping of the high-excitation gas in NGC, 1365, **234**, 155
Efstathiou, G. *see* Bower, R.G.
Egan, J. *see* Whitelock, P.A.
Einasto, M. Structure and formation of superclusters – VII. Distribution of bright and faint galaxies in the Virgo supercluster, **234**, 37

Ellis, G.F.R. *see* Madsen, M.S.
Ellis, R.S. *see* Bower, R.G.
Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G. Infrared observations of the 1985 outburst of RS Ophiuchi, **234**, 755
Evans, L. *see* Whitelock, P.A.

Fairall, A.P. *see* Whitelock, P.A.
Feast, M.W. *see* Sekiguchi, K.
Feast, M.W. *see* Whitelock, P.A.
Fernley, J. *see* Whitelock, P.A.
Ferrari, A. *see* Trussoni, E.
Ferrari-Toniolo, M. *see* Busso, M.
Field, D., Gray, M.D. The amplification of celestial maser radiation in the general many-level case, **234**, 353
Flower, D.R. *see* Monteiro, T.S.
Fong, R. *see* Stevenson, P.R.F.
Frye, G. *see* Sood, R.K.
Fullerton, A.W. *see* Stagg, C.R.

Galletta, G. *see* Bertola, F.
Gao, W.S. *see* Stagg, C.R.
Geballe, T.R. Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348−1447: a distant detection of H_2 line emission, **234**, 1P
Glass, I.S. *see* Evans, A.
Glass, I.S. *see* Whitelock, P.A.
Glass, I.S. *IRAS* sources near the Galactic Centre, **234**, 115
Godwin, J.G. *see* Green, M.R.
Graham, D.A. *see* Unger, S.W.
Gramann, M. Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant, **234**, 569
Gray, M.D. *see* Field, D.
Green, M.R., Godwin, J.G., Peach, J.V. Redshifts of galaxies in some southern groups and clusters, **234**, 1051
Guillen, M.A., Liboff, R.L. Errata: Kinetic theory of galaxy correlations, **234**, 1119
Guo, Z.H. *see* Stagg, C.R.

Hales, S.E.G., Baldwin, J.E., Warner, P.J. The 6C survey of radio sources – II. The zone $30° < \delta < 51°$, $08^h30^m < \alpha < 17^h30^m$, **234**, 919
Hanuschik, R.W., Thimm, G., Dachs, J. Hα fine-structure in SN 1987A within the first 111 days, **234**, 41P
Harmanec, P. *see* Stagg, C.R.
Harrison, B.A. *see* Unger, S.W.
Hartquist, T.W. *see* Smith, L.J.
Hawarden, T.G. *see* Puxley, P.J.
Hawkes, R.L. *see* Duffy, A.G.
Hawkins, M.R.S. *see* Leggett, S.K.
Hawkins, M.R.S., Bessell, M.S. The luminosity function for low mass stars, **234**, 177
Hawkins, M.R.S. The scale height of low mass stars in the galactic disc: evidence for a young population, **234**, 533
Heathcote, S.R. *see* Bailey, J.
Held, E.V. *see* Capaccioli, M.
Hills, R.E. *see* Parker, N.D.
Horn, J. *see* Stagg, C.R.
Hough, J.H. *see* Bailey, J.
Huang, L. *see* Stagg, C.R.
Hughes, D.W. The brightness of P/Halley and the surface activity of the nucleus at previous apparitions, **234**, 173

Iliev, L.H. *see* Stagg, C.R.

James, P. *see* Whitelock, P.A.
Jenkins, T. *see* Sood, R.K.
Jonas, J.L. *see* Woermann, B.
Jones, A.P. Modelling interstellar extinction – I. Porous grains, **234**, 209
Jones, J. *see* Duffy, A.G.
Jones, J.S. *see* Sekiguchi, K.
Jones, J.S. *see* Whitelock, P.A.

Kemball, A.J., Diamond, P.J., Mantovani, F. A search for very compact structure in 16 OH masers, **234**, 713
Kendziorra, E. *see* Sood, R.K.
Kesteven, M.J. *see* Norris, R.P.
Kiboff, R.L. *see* Guillen, M.A.
Kilkenny, D., Stone, L.E. Analysis of high-latitude blue stars – II, **234**, 1011
Kimura, T., Tosa, M. Formation of a gas condensation in a perturbed shock, **234**, 51
Kochhar, R.K., Trehan, S.K. The helical wave structure in a comet plasma tail, **234**, 123
Koga, R. *see* Sood, R.K.
Kotanyi, C. *see* Bertola, F.
Koubský, P. *see* Stagg, C.R.
Kovachev, B.Z. *see* Stagg, C.R.
Krishan, V. Scattering of quasar radiation in intercloud plasma, **234**, 79

Lahav, O., Rowan-Robinson, M., Lynden-Bell, D. The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles, **234**, 677
Laing, J.D. *see* Whitelock, P.A.
Laney, C.D. *see* Whitelock, P.A.
La Padula, C. *see* Sood, R.K.
Leggett, S.K., Hawkins, M.R.S. The infrared luminosity function for low-mass stars, **234**, 1065
Liboff, R.L. *see* Guillen, A.
Liebert, J. *see* Allington-Smith, J.R.
Lynden-Bell, D. *see* Lahav, O.
Lyne, A.G., Manchester, R.N. The shape of pulsar radio beams, **234**, 477

McKeith, C.D. *see* Barnett, E.W.
McLean, I. *see* Bailey, J.
Manchanda, R.K. *see* Sood, R.K.
Major, J.V. *see* Dunlop, C.N.
Manchester, R.N. *see* D'Amico, N.
Manchester, R.N. *see* Lyne, A.G.
Mantovani, F. *see* Kemball, A.J.
Marang, F. *see* van Vuren, G.W.
Marang, F. *see* Whitelock, P.A.
Madsen, M.S., Ellis, G.F.R. The evolution of Ω in inflationary universes, **234**, 67

Massaglia, S. *see* Trussoni, E.
Menzies, J.W. *see* Whitelock, P.A.
Meurs, E.J.A. *see* Unger, S.W.
Miyama, M.S. *see* Sekiya, M.
Monk, A.S. *see* Whitelock, P.A.
Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C. A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus, **234**, 193
Monk, D.J., Barlow, M.J., Clegg, R.E.S. An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae, **234**, 583
Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E. Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen, **234**, 863
Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J. New near-infrared sources and reflection nebulosity in W75N, **234**, 95
Morgan, D.H., Allen, D.A. S147: A K-type symbiotic star in the LMC, **234**, 1005
Mountain, C.M. *see* Moore, T.J.T.
Mountain, C.M. *see* Puxley, P.J.
Mukai, K., Corbet, R.H.D., Smale, A.P. Spectroscopy of the eclipsing cataclysmic variable NSV 12615, **234**, 291
Myakutin, V.I. *see* Sagar, R.

Nelson, R.F., Spencer, R.E. A search for radio emission from X-ray binaries and related objects, **234**, 1105
Norris, R.P., Allen, D.A., Roche, P.F. The radio emission from far-infrared galaxies: Seyfert or starburst?, **234**, 773
Norris, R.P., Kesteven, M.J., Allen, D.A., Troupe, E. Compact radio cores in infrared galaxies, **234**, 51P

Olsson-Steel, D. The inner Oort cloud and the source of comet Halley, **234**, 389
Ori, A., Piran, T. A simple stability criterion for isothermal spherical self-similar flow, **234**, 821
Origlia, L. *see* Busso, M.
Overbeek, M.D. *see* Sekiguchi, K.

Padman, R. *see* Parker, N.D.
Parker, N.D., Padman, R., Scott, P.F., Hills, R.E. New bipolar outflows in dark molecular clouds, **234**, 67P
Patnaik, A.R., Singh, K.P. A very long head-tail radio galaxy in the X-ray cluster 2A0335+096, **234**, 847
Pavlovski, K. *see* Stagg, C.R.
Peach, J.V. *see* Green, M.R.
Pedlar, A. *see* Unger, S.W.
Penston, M.V. *see* Monk, A.S.
Percy, J.R. *see* Stagg, C.R.
Persic, M., Salucci, P. Dark and visible matter in spiral galaxies, **234**, 131
Persi, P. *see* Busso, M.
Petrov, P. *see* Bedford, D.K.
Pettini, M. *see* Monk, A.S.
Pettini, M. *see* Smith, L.J.
Pineau des Forêts, G. *see* Monteiro, T.S.
Piran, T. *see* Ori, A.
Piskunov, A.E. *see* Sagar, R.
Plionis, M. Large-scale optical dipole anisotropy, **234**, 401
Puxley, P.J., Hawarden, T.G., Mountain, C.M. Fluorescent molecular hydrogen in galaxies, **234**, 29P

Raine, D.J. *see* Smith, M.D.
Rao, A.P., Slee, O.B. Improved estimates of interstellar scattering through the inner galaxy, **234**, 853
Reid, I.N. *see* Sansom, A.E.
Roberts, G. *see* Evans, A.
Roberts, G. *see* Whitelock, P.A.
Roche, P.F. *see* Norris, R.P.
Rochester, G.K. *see* Sood, R.K.
Rolph, C.D., Scarrott, S.M. The illuminating source of the nebulosity near the IR source GL, 2591, **234**, 719
Romani, R.W. *see* Blandford, R.D.
Roueff, E. *see* Monteiro, T.S.
Rowan-Robinson, M. *see* Lahav, O.
Roy, J.-R., Walsh, J.R. Imaging spectroscopy of H II regions in the barred spiral galaxy NGC, 1365, **234**, 977

Sagar, R., Myakutin, V.I., Piskunov, A.E., Dluzhnevskaya, O.B. A study of the spatial stellar mass distribution in some young open clusters, **234**, 831
Saikia, D.J. *see* Unger, S.W.
Salucci, P. *see* Persic, M.
Sansom, A.E., Reid, I.N., Boisson, C. NGC 6776 'The Pentagon' – an old merger?, **234**, 247
Scaltriti, F. *see* Busso, M.
Scarrott, S.M. *see* Rolph, C.D.
Schmidt, F. *see* Stagg, C.R.
Scott, P.F. *see* Parker, N.D.
Sekiguchi, K. *see* Whitelock, P.A.
Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Jones, J.S. The 1987 outburst of the recurrent nova U Sco, **234**, 281
Sekiya, M., Miyama, M.S. The stability of a differentially rotating cylinder of an incompressible perfect fluid, **234**, 107
Selby, M.J. *see* Moore, T.J.T.
Shanks, T. *see* Stevenson, P.R.F.
Singh, K.P. *see* Patnaik, A.R.
Skinner, C.J., Whitmore, B. Circumstellar environments – IV. Mass-loss rates for carbon stars, **234**, 79P
Slee, O.B. *see* Rao, A.P.
Smale, A.P. *see* Mukai, K.
Smith, I.W.M. Rate of the reaction: $OH+CO \rightarrow CO_2+H$ at interstellar temperatures, **234**, 1059
Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W. An optical study of the

dynamics of the clumpy wind-blown nebula RCW 58, **234**, 625
Smith, M.D., Raine, D.J. The duelling wind model for the emission line region of active nuclei, **234**, 297
Sneden, C. *see* Warner, B.
Somerville, W.B. Diffuse interstellar bands and cloud density, **234**, 655
Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P. Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55, **234**, 73P
Sparke, L.S., Casertano, S. A model for persistent galactic warps, **234**, 873
Spencer, R.E. *see* Nelson, R.F.
Spinrad, H. *see* Allington-Smith, J.R.
Stagg, C.R., Božić, H., Fullerton, A.W., Gao, W.S., Guo, Z.H., Harmanec, P., Horn, J., Huang, L., Iliev, L.H., Koubsky, P., Kovachev, B.Z., Pavlovski, K., Percy, J.R., Schmidt, F., Štefl, S., Tomov, N.A., Žižňovský, J. A photometric campaign on the Be stars *o* And, KX And, KY And, LQ And and EW Lac, **234**, 1021
Staubert, R. *see* Sood, R.K.
Štefl, S. *see* Stagg, C.R.
Stevens, I.R., Willis, A.J. The expected X-ray luminosity of HD, 50896, **234**, 783
Stevenson, P.R.F., Fong, R., Shanks, T. Correlation analysis of objectively defined galaxy and cluster catalogues, **234**, 801
Stinebring, D.R. *see* D'Amico, N.
Stokes, G.H. *see* D'Amico, N.
Stone, L.E. *see* Kilkenny, D.
Subramanian, K. On galaxy formation in asymmetric dark haloes, **234**, 459
Sumner, T.J. *see* Sood, R.K.
Sutherland, W. The 3–distribution of Abell clusters, **234**, 159

Taylor, D. *see* Unger, S.W.
Taylor, J.H. *see* D'Amico, N.
Taylor, K. *see* Edmunds, M.G.
Thimm, G. *see* Hanuschik, R.W.
Thomas, J.A. *see* Sood, R.K.s
Tinto, M. *see* Dhurandhar, S.V.
Tomov, N.A. *see* Stagg, C.R.
Tosa, M. *see* Kimura, T.
Trehan, S.K. *see* Kochhar, R.K.
Troupe, E. *see* Norris, R.P.
Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A. On the stability of anisotropic astrophysical jets, **234**, 539
Turtle, A.J. *see* Edmunds, M.G.

Ubertini, P. *see* Sood, R.K.
Unger, S.W., Pedlar, A., Axon, D.J., Graham, D.A., Harrison, B.A., Saikia, D.J., Whittle, M., Meurs, E.J.A., Dyson, J.E., Taylor, D. Radio ejection and broad forbidden emission lines in the Seyfert galaxy NGC, 7674, **234**, 745

van der Hulst, J.M. *see* Appleton, P.N.
van Vuren, G.W., Balona, L.A., Marang, F. Periodic Be stars in NGC 3766, **234**, 373
van Wyk, F. *see* Whitelock, P.A.
Verbunt, F. *see* Drew, J.E.
Vietri, M. *see* Capaccioli, M.
Vilhu, O. *see* Bedford, D.K.

Waldron, L. *see* Sood, R.K.
Walsh, J.R. *see* Roy, J.-R.
Ward, M.J. *see* Bailey, J.
Wargau, W. *see* Sekiguchi, K.
Warner, B., Sneden, C. HD 38451: J.R. Hind's star that changed colour, **234**, 269
Warner, P.J. *see* Hales, S.E.G.
Whitelock, P.A *see* Evans, A.
Whitelock, P.A. *see* Sekiguchi, K.
Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyke, F. Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385, 5P
Whitmore B. *see* Skinner, C.J.
Whittle, M. *see* Unger, S.W.
Wickramasinghe, D.T. *see* Bailey, J.
Willis, A.J. *see* Stevens, I.R.
Winkler, H. *see* Whitelock, P.A.
Winkler, H. An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey, **234**, 703
Woermann, B., Jonas, J.L. G279.0+1.1: a new large-diameter galactic supernova remnant, **234**, 971

Yamashita, T. *see* Moore, T.J.T.

Zeilinger, W.W. *see* Bertola, F.
Žižňovský, J. *see* Stagg, C.R.

SUBJECT INDEX

Abundances of the elements

Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
Imaging spectroscopy of H II regions in the barred spiral galaxy NGC 1365 (Roy, J.-R., Walsh, J.R.), **234**, 977

Accretion and accretion discs

The stability of a differentially rotating cylinder of an incompressible perfect fluid (Sekiya, M., Miyama, M.S.), **234**, 107

Celestial mechanics

The stability of a differentially rotating cylinder of an incompressible perfect fluid (Sekiya, M., Miyama, M.S.), **234**, 107
The inner Oort cloud and the source of comet Halley (Olsson-Steel, D.), **234**, 389
A simple stability criterion for isothermal spherical self-similar flow (Ori, A., Piran, T.), **234**, 821
A model for persistent galactic warps (Sparke, L.S., Casertano, S.), **234**, 873

Comets

The helical wave structure in a comet plasma tail (Kochhar, R.K., Trehan, S.K.), **234**, 123
The brightness of P/Halley and the surface activity of the nucleus at previous apparitions (Hughes, D.W.), **234**, 173
The inner Oort cloud and the source of comet Halley (Olsson-Steel, D.), **234**, 389

Cosmology

Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
The evolution of Ω in inflationary universes (Madsen, M.S., Ellis, G.F.R.), **234**, 67
The 3-D distribution of Abell clusters (Sutherland, W.), **234**, 159
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
Large-scale optical dipole anisotropy (Plionis, M.), **234**, 401
Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant (Gramann, M.), **234**, 569
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677

Data reduction

Correlation analysis of objectively defined galaxy and cluster catalogues (Stevenson, P.R.F., Fong, R., Shanks, T.), **234**, 801

Galactic centre

IRAS sources near the Galactic Centre (Glass, I.S.), **234**, 115

Galactic structure and stellar dynamics

Dark and visible matter in spiral galaxies (Persic, M., Salucci, P.), **234**, 131
NGC 6776 'The Pentagon' – an old merger? (Sansom, A.E., Reid, I.N., Boisson, C.), **234**, 247
The z-structure of the disc of NGC 3115 (Capaccioli, M., Vietri, M., Held, E.V.), **234**, 335
On galaxy formation in asymmetric dark haloes (Subramanian, K.), **234**, 459
The scale height of low mass stars in the galactic disc: evidence for a young population (Hawkins, M.R.S.), **234**, 533
A model for persistent galactic warps (Sparke, L.S., Casertano, S.), **234**, 873
Imaging spectroscopy of H II regions in the barred spiral galaxy NGC 1365 (Roy, J.-R., Walsh, J.R.), **234**, 977
Analysis of high-latitude blue stars – II (Kilkenny, D., Stone, L.E.), **234**, 1011

Galaxies

Structure and formation of superclusters – VII. Distribution of bright and faint galaxies in the Virgo supercluster (Einasto, M.), **234**, 37
Dark and visible matter in spiral galaxies (Persic, M., Salucci, P.), **234**, 131
A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008−04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), **234**, 193
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
NGC 6776 'The Pentagon' – an old merger? (Sansom, A.E., Reid, I.N., Boisson, C.), **234**, 247

The z-structure of the disc of NGC 3115 (Capaccioli, M., Vietri, M., Held, E.V.), **234**, 335
Large-scale optical dipole anisotropy (Plionis, M.), **234**, 401
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677
A study of satellite galaxies in the rich cluster A2029 (Bower, R.G., Ellis, R.S., Efstathiou, G.), **234**, 725
A study of major-axis dust-lane ellipticals (Bertola, F., Galletta, G., Kotanyi, C., Zeilinger, W.W.), **234**, 733
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
Imaging spectroscopy of H II regions in the barred spiral galaxy NGC 1365 (Roy, J.-R., Walsh, J.R.), **234**, 977
Redshifts of galaxies in some southern groups and clusters (Green, M.R., Godwin, J.G., Peach, J.V.), **234**, 1051
Fluorescent molecular hydrogen in galaxies (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **234**, 29P

Galaxies – active

Kinematic mapping of the high-excitation gas in NGC 1365 (Edmunds, M.G., Taylor, K., Turtle, A.J.), **234**, 155
The duelling wind model for the emission line region of active nuclei (Smith, M.D., Raine, D.J.), **234**, 297
Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691 (Bedford, D.K., Vilhu, O., Petrov, P.), **234**, 319
On the stability of anisotropic astrophysical jets (Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A.), **234**, 539
An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey (Winkler, H.), **234**, 703
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
Further redshifts of 1-Jy radio sources (Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J.), **234**, 1091
Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348−1447: a distant detection of H_2 line emission (Geballe, T.R.), **234**, 1P
Compact radio cores in infrared galaxies (Norris, R.P., Kesteven, M.J., Allen, D.A., Troupe, E.), **234**, 51P

Galaxies – formation of

On galaxy formation in asymmetric dark haloes (Subramanian, K.), **234**, 459
Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant (Gramann, M.), **234**, 569

Galaxies – nuclei of

Kinematic mapping of the high-excitation gas in NGC 1365 (Edmunds, M.G., Taylor, K., Turtle, A.J.), **234**, 155
The duelling wind model for the emission line region of active nuclei (Smith, M.D., Raine, D.J.), **234**, 297

Galaxies – Seyfert

Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691 (Bedford, D.K., Vilhu, O., Petrov, P.), **234**, 319
An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey (Winkler, H.), **234**, 703
Radio ejection and broad forbidden emission lines in the Seyfert galaxy NGC 7674 (Unger, S.W., Pedlar, A., Axon, D.J., Graham, D.A., Harrison, B.A., Saikia, D.J., Whittle, M., Meurs, E.J.A., Dyson, J.E., Taylor, D.), **234**, 745
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
The polarization of NGC 1068 (Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R.), **234**, 899

Galaxy clusters

Structure and formation of superclusters – VII. Distribution of bright and faint galaxies in the Virgo supercluster (Einasto, M.), **234**, 37
The 3-D distribution of Abell clusters (Sutherland, W.), **234**, 159
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant (Gramann, M.), **234**, 569
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677
A study of satellite galaxies in the rich cluster A2029 (Bower, R.G., Ellis, R.S., Efstathiou, G.), **234**, 725
Correlation analysis of objectively defined

galaxy and cluster catalogues (Stevenson, P.R.F., Fong, R., Shanks, T.), **234**, 801
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
Redshifts of galaxies in some southern groups and clusters (Green, M.R., Godwin, J.G., Peach, J.V.), **234**, 1051
Errata: Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **234**, 1119

Gamma-ray astronomy

Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55 (Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P.), **234**, 73P

Gravitation and gravitational radiation

Astronomical observations with a network of detectors of gravitational waves – I. Mathematical framework and solution of the five detector problem (Dhurandhar, S.V., Tinto, M.), **234**, 663

Infrared astronomy

New near-infrared sources and reflection nebulosity in W75N (Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J.), **234**, 95
IRAS sources near the Galactic Centre (Glass, I.S.), **234**, 115
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Jones, J.S.), **234**, 281
IRAS observations and IR excesses of RS CVn-type binaries (Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L.), **234**, 445
An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey (Winkler, H.), **234**, 703
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
The infrared luminosity function for low-mass stars (Leggett, S.K., Hawkins, M.R.S.), **234**, 1065
Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348–1447: a distant detection of H_2 line emission (Geballe, T.R.), **234**, 1P
Fluorescent molecular hydrogen in galaxies (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **234**, 29P
Compact radio cores in infrared galaxies (Norris, R.P.,Kesteven, M.J., Allen, D.A., Troupe, E.), **234**, 51P
Amorphous carbon and interstellar emission excesses (Duley, W.W.), **234**, 61P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P

Instruments and techniques

Astronomical observations with a network of detectors of gravitational waves – I. Mathematical framework and solution of the five detector problem (Dhurandhar, S.V., Tinto, M.), **234**, 663
A shear interferometer for the measurement of atmospheric seeing (Dunlop, C.N., Major, J.V.), **234**, 993

Intergalactic medium

Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957

Interstellar grains

Modelling interstellar extinction – I. Porous grains (Jones, A.P.), **234**, 209
Diffuse interstellar bands and cloud density (Somerville, W.B.), **234**, 655
The polarization of NGC 1068 (Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R.), **234**, 899
Amorphous carbon and interstellar emission excesses (Duley, W.W.), **234**, 61P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P

Interstellar medium

Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
Scattering of quasar radiation in intercloud plasma (Krishan, V.), **234**, 79
A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115,

NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), **234**, 193
Diffuse interstellar bands and cloud density (Somerville, W.B.), **234**, 655
Improved estimates of interstellar scattering through the inner galaxy (Rao, A.P., Slee, O.B.), **234**, 853
Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen (Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E.), **234**, 863

Magellanic Clouds

An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583
Multicolour 'Stokes' polarimetry of SN 1987A in the LMC (Barrett, P.), **234**, 937
S147: A K-type symbiotic star in the LMC (Morgan, D.H., Allen, D.A.), **234**, 1005

Masers

The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
A search for very compact structure in 16 OH masers (Kemball, A.J., Diamond, P.J., Mantovani, F.), **234**, 713

Meteors

Television observations of the 1984 Orionid shower (Duffy, A.G., Hawkes, R.L., Jones, J.), **234**, 643

Microwave background

Large-scale optical dipole anisotropy (Plionis, M.), **234**, 401
Statistical geometry and the microwave background (Coles, P.), **234**, 509
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677

Molecules and molecular clouds

Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
New near-infrared sources and reflection nebulosity in W75N (Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J.), **234**, 95
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
A search for very compact structure in 16 OH masers (Kemball, A.J., Diamond, P.J., Mantovani, F.), **234**, 713
Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen (Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E.), **234**, 863
Rate of the reaction: $OH+CO \rightarrow CO_2+H$ at interstellar temperatures (Smith, I.W.M.), **234**, 1059
Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348−1447: a distant detection of H_2 line emission (Geballe, T.R.), **234**, 1P
Fluorescent molecular hydrogen in galaxies (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **234**, 29P
New bipolar outflows in dark molecular clouds (Parker, N.D., Padman, R., Scott, P.F., Hills, R.E.), **234**, 67P

Nebulae – gaseous

An optical study of the dynamics of the clumpy wind-blown nebula RCW 58 (Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W.), **234**, 625
A simple stability criterion for isothermal spherical self-similar flow (Ori, A., Piran, T.), **234**, 821

Nebulae – planetary

Fine structure splitting of the $2s^2\,2p^3\,{}^2P$ and ${}^2D$ levels of O II from CCD/echelle observations of the planetary nebula IC 418 (Barnett, E.W., McKeith, C.D.), **234**, 241
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583

Nebulae – reflection

New near-infrared sources and reflection nebulosity in W75N (Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J.), **234**, 95
The illuminating source of the nebulosity near the IR source GL 2591 (Rolph, C.D., Scarrott, S.M.), **234**, 719

Novae

The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Jones, J.S.), **234**, 281

Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755

Physical processes

Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
The evolution of Ω in inflationary universes (Madsen, M.S., Ellis, G.F.R.), **234**, 67
The stability of a differentially rotating cylinder of an incompressible perfect fluid (Sekiya, M., Miyama, M.S.), **234**, 107
The helical wave structure in a comet plasma tail (Kochhar, R.K., Trehan, S.K.), **234**, 123
Modelling interstellar extinction – I. Porous grains (Jones, A.P.), **234**, 209
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
Statistical geometry and the microwave background (Coles, P.), **234**, 509
On the stability of anisotropic astrophysical jets (Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A.), **234**, 539
A simple stability criterion for isothermal spherical self-similar flow (Ori, A., Piran, T.), **234**, 821
Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen (Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E.), **234**, 863
Errata: Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **234**, 1119
On the interpretation of pulsar braking indices (Blandford, R.D., Romani, R.W.), **234**, 57P

Polarization of starlight

Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
The illuminating source of the nebulosity near the IR source GL 2591 (Rolph, C.D., Scarrott, S.M.), **234**, 719
The polarization of NGC 1068 (Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R.), **234**, 899
Multicolour 'Stokes' polarimetry of SN 1987A in the LMC (Barrett, P.), **234**, 937
EXO 023432–5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P

Pulsars

A survey for millisecond pulsars at Molonglo (D'Amico, N., Manchester, R.N., Durdin, J.M., Stokes, G.H., Stinebring, D.R., Taylor, J.H., Brissenden, R.J.V.), **234**, 437
The shape of pulsar radio beams (Lyne, A.G., Manchester, R.N.), **234**, 477
On the interpretation of pulsar braking indices (Blandford, R.D., Romani, R.W.), **234**, 57P

Quasars

Scattering of quasar radiation in intercloud plasma (Krishan, V.), **234**, 79
A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), **234**, 193
The duelling wind model for the emission line region of active nuclei (Smith, M.D., Raine, D.J.), **234**, 297
Further redshifts of 1-Jy radio sources (Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J.), **234**, 1091

Radiative transfer

Scattering of quasar radiation in intercloud plasma (Krishan, V.), **234**, 79
Modelling interstellar extinction – I. Porous grains (Jones, A.P.), **234**, 209
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
Statistical geometry and the microwave background (Coles, P.), **234**, 509

Radio astronomy

A survey for millisecond pulsars at Molonglo (D'Amico, N., Manchester, R.N., Durdin, J.M., Stokes, G.H., Stinebring, D.R., Taylor, J.H., Brissenden, R.J.V.), **234**, 437
The shape of pulsar radio beams (Lyne, A.G., Manchester, R.N.), **234**, 477
On the stability of anisotropic astrophysical jets (Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A.), **234**, 539
A search for very compact structure in 16 OH masers (Kemball, A.J., Diamond, P.J., Mantovani, F.), **234**, 713
A study of major-axis dust-lane ellipticals (Bertola, F., Galletta, G., Kotanyi, C., Zeilinger, W.W.), **234**, 733
Radio ejection and broad forbidden emission lines in the Seyfert galaxy NGC 7674 (Unger, S.W., Pedlar, A., Axon, D.J., Graham, D.A., Harrison, B.A., Saikia, D.J., Whittle, M., Meurs, E.J.A., Dyson, J.E., Taylor, D.), **234**, 745

The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
Improved estimates of interstellar scattering through the inner galaxy (Rao, A.P., Slee, O.B.), **234**, 853
The 6C survey of radio sources – II. The zone $30° < \delta < 51°$, $08^h30^m < \alpha < 17^h30^m$ (Hales, S.E.G., Baldwin, J.E., Warner, P.J.), **234**, 919
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
G279.0+1.1: a new large-diameter galactic supernova remnant (Woermann, B., Jonas, J.L.), **234**, 971
Further redshifts of 1-Jy radio sources (Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J.), **234**, 1091
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
Compact radio cores in infrared galaxies (Norris, R.P.,Kesteven, M.J., Allen, D.A., Troupe, E.), **234**, 51P
New bipolar outflows in dark molecular clouds (Parker, N.D., Padman, R., Scott, P.F., Hills, R.E.), **234**, 67P

Seeing

A shear interferometer for the measurement of atmospheric seeing (Dunlop, C.N., Major, J.V.), **234**, 993

Solar System

The inner Oort cloud and the source of comet Halley (Olsson-Steel, D.), **234**, 389

Spectroscopy

Fine structure splitting of the $2s^2\,2p^3\,{}^2P$ and ${}^2D$ levels of O II from CCD/echelle observations of the planetary nebula IC 418 (Barnett, E.W., McKeith, C.D.), **234**, 241
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325

Stars – atmospheres of

Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417

Stars – binary

Spectroscopy of the eclipsing cataclysmic variable NSV 12615 (Mukai, K., Corbet, R.H.D., Smale, A.P.), **234**, 291
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
IRAS observations and IR excesses of RS CVn-type binaries (Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L.), **234**, 445
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
EXO 023432−5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P

Stars – chemical composition of

Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55 (Caldwell, S.P., Dickens, R.J.), **234**, 87
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583

Stars – clusters of

Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55 (Caldwell, S.P., Dickens, R.J.), **234**, 87
Periodic Be stars in NGC 3766 (van Vuren, G.W., Balona, L.A., Marang, F.), **234**, 373
A study of the spatial stellar mass distribution in some young open clusters (Sagar, R., Myakutin, V.I., Piskunov, A.E., Dluzhnevskaya, O.B.), **234**, 831
The infrared luminosity function for low-mass stars (Leggett, S.K., Hawkins, M.R.S.), **234**, 1065

Stars – formation of

Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
A study of the spatial stellar mass distribution

in some young open clusters (Sagar, R., Myakutin, V.I., Piskunov, A.E., Dluzhnevskaya, O.B.), **234**, 831

Stars – mass loss from

HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Jones, J.S.), **234**, 281
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
An optical study of the dynamics of the clumpy wind-blown nebula RCW 58 (Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W.), **234**, 625
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
New bipolar outflows in dark molecular clouds (Parker, N.D., Padman, R., Scott, P.F., Hills, R.E.), **234**, 67P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P

Stars – photometry of

The luminosity function for low mass stars (Hawkins, M.R.S., Bessell, M.S.), **234**, 177
HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
Periodic Be stars in NGC 3766 (van Vuren, G.W., Balona, L.A., Marang, F.), **234**, 373
The scale height of low mass stars in the galactic disc: evidence for a young population (Hawkins, M.R.S.), **234**, 533
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
Analysis of high-latitude blue stars – II (Kilkenny, D., Stone, L.E.), **234**, 1011
A photometric campaign on the Be stars *o* And, KX And, KY And, LQ And and EW Lac (Stagg, C.R., Božić, H., Fullerton, A.W., Gao, W.S., Guo, Z.H., Harmanec, P., Horn, J., Huang, L., Iliev, L.H., Koubský, P., Kovachev, B.Z., Pavlovski, K., Percy, J.R., Schmidt, F., Štefl, S., Tomov, N.A., Žižňovský, J.), **234**, 1021
The infrared luminosity function for low-mass stars (Leggett, S.K., Hawkins, M.R.S.), **234**, 1065
Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385 (Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyk, F.), **234**, 5P
EXO 023432–5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P

Stars – spectroscopy of

Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55 (Caldwell, S.P., Dickens, R.J.), **234**, 87
HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Jones, J.S.), **234**, 281
Spectroscopy of the eclipsing cataclysmic variable NSV 12615 (Mukai, K., Corbet, R.H.D., Smale, A.P.), **234**, 291
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583
An optical study of the dynamics of the clumpy wind-blown nebula RCW 58 (Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W.), **234**, 625
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
Analysis of high-latitude blue stars – II (Kilkenny, D., Stone, L.E.), **234**, 1011
Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385 (Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyk, F.), **234**, 5P
Hα fine-structure in SN 1987A within the first 111 days (Hanuschik, R.W., Thimm, G., Dachs, J.), **234**, 41P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P

Stars – structure and evolution of

Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
The luminosity function for low mass stars (Hawkins, M.R.S., Bessell, M.S.), **234**, 177

Stars – symbiotic

S147: A K-type symbiotic star in the LMC (Morgan, D.H., Allen, D.A.), **234**, 1005

Stars – variable

The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., W., Jones, J.S.), **234**, 281
Spectroscopy of the eclipsing cataclysmic variable NSV 12615 (Mukai, K., Corbet, R.H.D., Smale, A.P.), **234**, 291
Periodic Be stars in NGC 3766 (van Vuren, G.W., Balona, L.A., Marang, F.), **234**, 373
IRAS observations and IR excesses of RS CVn-type binaries (Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L.), **234**, 445
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
A photometric campaign on the Be stars *o* And, KX And, KY And, LQ And and EW Lac (Stagg, C.R., Božić, H., Fullerton, A.W., Gao, W.S., Guo, Z.H., Harmanec, P., Horn, J., Huang, L., Iliev, L.H., Koubský, P., Kovachev, B.Z., Pavlovski, K., Percy, J.R., Schmidt, F., Štefl, S., Tomov, N.A., Žižňovský, J.), **234**, 1021
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105

Supernovae and supernova remnants

Multicolour 'Stokes' polarimetry of SN 1987A in the LMC (Barrett, P.), **234**, 937
G279.0+1.1: a new large-diameter galactic supernova remnant (Woermann, B., Jonas, J.L.), **234**, 971
Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385 (Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyk, F.), **234**, 5P
Hα fine-structure in SN 1987A within the first 111 days (Hanuschik, R.W., Thimm, G., Dachs, J.), **234**, 41P
Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55 (Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P.), **234**, 73P

Ultraviolet astronomy

HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341

X-ray astronomy

Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691 (Bedford, D.K., Vilhu, O., Petrov, P.), **234**, 319
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
EXO 023432−5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P
Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55 (Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P.), **234**, 73P